


Plastic Pallet Collar

Apbox

Sample Drawing





External dimension (mm)			Internal Dimension (mm)			static	Dymanic	Maximu m folding	Fold Times
L	W	H	L1	W1	H1				
1200	1200	200	1150	1150	200	1800kg	600kg	11	50000Times
1200	1000	200	1150	950	200	1800kg	600kg	11	50000Times
1200	800	200	1150	750	200	1800kg	600kg	11	50000Times
1000	1000	200	950	950	200	1800kg	600kg	11	50000Times
1000	800	200	950	750	200	1800kg	600kg	11	50000Times
800	800	200	750	750	200	1800kg	600kg	11	50000Times
800	600	200	750	550	200	1800kg	600kg	11	50000Times

Applications & Characteristic




Cooperate with pallets to load scattered cargo.

Stacking up and down, Height can be at your pleasure.



High-quality raw materials anti-aging, healthy and environmental protection, acid and alkali resistance, non-toxic and tasteless

collar is formed by one-time injection moulding which is not easy to deform.



Applications & Characteristic



Galvanized steel structure hinges, strong and durable

Professional design, nice appearance, high Lev




It can be folded and placed to save space when not used or transported,

Smooth edge treatment, no hand injury;



Applications & Characteristic



Excellent craftsmanship, neat stacking, not easy to collapse;